

ISO
9001:2015

ISO
14001:2015

ISO
(OHSAS)
45001:2018



JET GRANITO PVT. LTD.

Corp. Office: 84, Newyork Tower-A, Nr. Thaltej Cross Road,
Thaltej, S. G. Highway, Ahmedabad-380 054, Guj., India.

☎ +91 79 2684 1242 ✉ sales@jetgranito.com

☎ +91 99099 05292

Reg. Office & Factory: 8-A, National Highway, Matel Char Rasta,
Tal.: Wankaner, Dist.: Rajkot-363 621, Guj., India.

☎ +91 99250 27300 ✉ info@jetgranito.com

🌐 www.jetgranito.com



www.wolvescreata.com

www.jetgranito.com




ELEVATE YOUR
DÉCOR AESTHETICS



ELEVATION 300x600mm

ELEVATION 300x600mm

Elevation tiles are gaining a lot of popularity these days due to their versatile appeal and Jet is all set to lead the market here with its classy plethora of elevation tiles that is elegant and eloquent. In constant companionship of fine craftsmanship, our solid and robust elevation tiles evolve as independent artifacts that can make your space speak of its virtues of sorcery and solidity. Addressing the phenomenon of durability, we develop tiles that are stain and scratch resistant, giving your space the boon of forever blossom.



Gorgeous
 Bring aesthetic exclusivity in your setting

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Agate Cobalt A



Agate Cobalt B



Agate Cobalt C



Agate Creama A



Agate Creama B



Agate Creama C

Grand
Evoke pleasant feelings in your surroundings

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Agate Garnet A



Agate Garnet B



Agate Garnet C



Agate Rustick A



Agate Rustick B



Agate Rustick C




Radiant

Articles that accentuate the allure of your outdoor space

ELEVATION

300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Agate Smock A



Agate Smock B



Agate Smock C



Allnatt Beige



Allnatt grey



Allnatt Stone

Dainty
Settle down amidst unmatched grandeur

ELEVATION

300x600mm



- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Allnatt Natural A




Allnatt Natural B



Allnatt Wood A



Allnatt Wood B



Emerald Diamond



Glitzy

Create an eye-catching
spectacle effortlessly



Emerald Brown A



Emerald Brown B



Emerald Brown C



Eureka Blue A



Eureka Blue B

Sleek

Make a statement of style with these exquisite surfaces

ELEVATION

300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Eureka Crema A



Eureka Crema B



Eureka Natural



Jasper Multi A



Jasper Multi B



Delightful
Invite elemental beauty into your setting

ELEVATION

300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Jasper Rock A



Jasper Rock B



Jasper Tanzanite A



Jasper Tanzanite B



Ocean Black

Exotic
Efficiently capture the essence of elegance

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Ocean Multi A



Ocean Multi B



Phoenix Brown



Phoenix Cobalt



Phoenix Crema



Delightful
Invite elemental beauty into your setting

ELEVATION

300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Phoenix Dark Grey A



Phoenix Dark Grey B



Phoenix Dark Grey C



Phoenix Multi A



Phoenix Multi B



Phoenix Multi C

Exotic
Efficiently capture the essence of elegance

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Sapphire Ivory A



Sapphire Ivory B



Sapphire Ivory C



Sapphire Oak Wood A



Sapphire Oak Wood B



Sapphire Oak Wood C



Delightful
Invite elemental beauty into your setting

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Sapphire Crem A



Sapphire Crem B



Sapphire Crem C



Sapphire Natural A



Sapphire Natural B



Sapphire Natural C

Exotic
Efficiently capture the essence of elegance

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic




Sapphire Real Wood A



Sapphire Real Wood B



Sapphire Real Wood C




Sapphire Smock A



Sapphire Smock B



Sapphire Smock C



Delightful
Invite elemental beauty into your setting

ELEVATION 300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Exotic
Efficiently capture the essence of elegance



Topaz Colorado A



Topaz Colorado B



Topaz Colorado C



Topaz Dark Grey A



Topaz Dark Grey B



Topaz Dark Grey C

ELEVATION

300x600mm

- 
Floor Tile
- 
Glossy
- 
Matt
- 
Correct Rectified
- 
Digital
- 
Random
- 
Interior
- 
Commercial
- 
Domestic



Tourmaline Dark Rider A



Tourmaline Dark Rider B



Tourmaline Dark Rider C



Tourmaline Hematite A



Tourmaline Hematite B



Tourmaline Hematite C



Delightful
Invite elemental beauty into your setting

ELEVATION

300x600mm

- Floor Tile
- Glossy
- Matt
- Correct Rectified
- Digital
- Random
- Interior
- Commercial
- Domestic



Turquoise Natural A



Turquoise Natural B

Exotic
Efficiently capture the essence of elegance

TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	ISO TEST METHODS	VITRIFIED TILES REQUIREMENT AS PER ISO 13006 Bla/EN176 Bla	VITRIFIED TILES IS 15622 : 2013 GROUP Bla	JET VITRIFIED TILES Value
A	Dimention & Surface Quality				
1	Deviation in Lenght & Width	ISO 10545-2	± 0.6 %	± 0.1 %	± 0.1 %
2	Deviation in Thickness	ISO 10545-2	± 5.0 %	± 4.0 %	± 4.0 %
3	Straightness of Sides	ISO 10545-2	± 0.5 %	± 0.1 %	± 0.1 %
4	Rectangularity	ISO 10545-2	± 0.6 %	± 0.1 %	± 0.1 %
5	Surface Flatness	ISO 10545-2	± 0.5 %	± 0.2 %	± 0.2 %
6	Colour Difference	ISO 10545-2	Unaltered	Unaltered	No Change
B	Physical Properties				
1	Water Absorption	ISO 10545-3	≤ 0.5 %	≤ 0.08 %	≤ 0.08 %
2	Flexural Strength (MOR)	ISO 10545-4	≥ 35 N/mm²	≥ 44 N/mm²	≥ 45 N/mm²
3	Mohs Hardness	EN 101	≥ 6	≥ 6	≥ 7
4	Flexural Breaking Strength	ISO 10545-4	> 1300 N	> 1500 N	> 1500 N
5	Resistance of Surface Abrasion	ISO 10545-6	As per Manufacturer Norms	As per Manufacturer Norms	> PEI Class
C	Chemical Properties				
1	Staining Resistance	ISO 10545-14	Resistant	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage	No Damage
D	Thermal Properties				
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage	Passed
2	Thermal Expansion	ISO 10545-8	9 x 10 ⁻⁶	9 x 10 ⁻⁶	Passed
3	Moisture Expansion	ISO 10545-10	Nil	Nil	Passed

Packing Detail

SERIES	TILE SIZE	THICKNESS (approx)	No. of TILES / BOX	WEIGHT/BOX (approx)	COVERAGE AREA / BOX (approx)
Vitrified	300x600 mm	10.5 mm	6 Pieces	22.4 kg	1.08 sq. mtr



Posh

Let glamour become a mainstay of your abode